

試驗報告

Test Report

號碼(No.): KA/2020/11547 日期(Date): 2020/02/07 頁數(Page): 1 of 4

天二科技股份有限公司

EVER OHMS TECHNOLOGY CO., LTD.

高雄市前鎮區高雄加工出口區南四路3號

NO. 3, SOUTH 4TH ROAD, K. E. P. Z. KAOHSIUNG CITY, 80681 TAIWAN R. O. C.

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted By) : 天二科技股份有限公司 (EVER OHMS TECHNOLOGY CO., LTD.)
樣品名稱(Sample Description) : LEAD FREE CHIP RESISTORS & CHIP ARRAYS
樣品型號(Style/Item No.) : CR SERIES / CRA SERIES / ST SERIES / CRH SERIES / TCR SERIES /
CRW SERIES / QR SERIES / QRA SERIES / HR SERIES / STA SERIES /
QRH SERIES / QRW SERIES / CLT SERIES / QUH SERIES / STH SERIES
/ CUH SERIES / AS SERIES
收件日期(Sample Receiving Date) : 2020/01/31
測試期間(Testing Period) : 2020/01/31 to 2020/02/07

測試需求(Test Requested) : 依據客戶要求，進行高關注物質(SVHC)篩檢。 / As requested by client, SVHC Screening was performed.

測試方法(Test Method) : 參照SGS內部方法RSTS-EE-SVHC-007。以氣相層析/質譜儀、液相層析質譜儀進行分析。(SGS In-House method-RSTS-EE-SVHC-007. Analyzed by GC/MS, LC/MS.)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages).


報告簽署人/張伯睿/博士/技術經理
Ray Chang, Ph.D./Manager -Tech
Signed for and on behalf of
SGS Taiwan Limited
化學實驗室-高雄/Chemical Laboratory -Kaohsiung



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

試驗報告

號碼(No.): KA/2020/11547 日期(Date): 2020/02/07 頁數(Page): 2 of 4

Test Report

天二科技股份有限公司

EVER OHMS TECHNOLOGY CO., LTD.

高雄市前鎮區高雄加工出口區南四路3號

NO. 3, SOUTH 4TH ROAD, K. E. P. Z. KAOHSIUNG CITY, 80681 TAIWAN R. O. C.

測試樣品(Test Sample):

No. 1 : 白色/黑色/銀色 電子零件 (WHITE/BLACK/SILVER ELECTRONIC COMPONENT)

測試結果 (Test Results) (單位Unit: %)

| 物質名稱 (Substance Name) | RL | 結果 (Result) |
|---|------|----------------|
| | | No. 1 |
| 2-苄基-2-二甲基氨基-1-(4-嗎啉苯基)丁酮 / 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone (CAS No. : 119313-12-1) | 0.05 | n. d. |
| 2-甲基-1-(4-甲硫基苯基)-2-嗎啡基-1-丙酮 / 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one (CAS No. : 71868-10-5) | 0.05 | n. d. |
| 二異己基鄰苯二甲酸酯 / Diisohexyl phthalate (CAS No. : 71850-09-4) | 0.05 | n. d. |
| 全氟丁磺酸及其相關鹽類 / Perfluorobutane sulfonic acid (PFBS) and its salts | 0.05 | n. d. |

備註(Note):

1. mg/kg = ppm ; 0.1wt% = 1000ppm
2. RL = Reporting Limit / 報告極限值
3. n. d. = not detected = below Reporting Limit / 未檢出
4. 分類/Classification : http://twap.sgs.com/sgsrsts/chn/download-REACH_tw.asp

試驗報告

號碼(No.): KA/2020/11547 日期(Date): 2020/02/07 頁數(Page): 3 of 4

Test Report

天二科技股份有限公司


EVER OHMS TECHNOLOGY CO., LTD.

高雄市前鎮區高雄加工出口區南四路3號

NO. 3, SOUTH 4TH ROAD, K. E. P. Z. KAOHSIUNG CITY, 80681 TAIWAN R. O. C.

分析流程圖 / Analytical flow chart

- 測試人員：陳威錚 / 黃環璿 / Technician : Dorothy Chen / Ginny Huang
- 測試負責人：張伯睿 / Supervisor: Ray Chang



試驗報告

Test Report

號碼(No.): KA/2020/11547 日期(Date): 2020/02/07 頁數(Page): 4 of 4

天二科技股份有限公司

EVER OHMS TECHNOLOGY CO., LTD.

高雄市前鎮區高雄加工出口區南四路3號

NO. 3, SOUTH 4TH ROAD, K. E. P. Z. KAOHSIUNG CITY, 80681 TAIWAN R. O. C.

* 照片中如有箭頭標示，則表示為實際檢測之樣品/部位。 *
(The tested sample / part is marked by an arrow if it's shown on the photo.)

KA/2020/11547



** 報告結尾(End of Report) **

試驗報告

Test Report

號碼(No.): KA/2019/72026 日期(Date): 2019/08/02 頁數(Page): 1 of 4

天二科技股份有限公司

EVER OHMS TECHNOLOGY CO., LTD.

高雄市前鎮區高雄加工出口區南四路3號

NO. 3, SOUTH 4TH ROAD, K. E. P. Z. KAOHSIUNG CITY, 80681 TAIWAN R. O. C.


以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):


送樣廠商(Sample Submitted By) : 天二科技股份有限公司 (EVER OHMS TECHNOLOGY CO., LTD.)
樣品名稱(Sample Description) : LEAD FREE CHIP RESISTORS & CHIP ARRAYS
樣品型號(Style/Item No.) : CR SERIES / TCR SERIES / CRR SERIES / CRH SERIES / CRL SERIES /
CRW SERIES / CRA SERIES / QR SERIES / QRA SERIES / ST SERIES /
STA SERIES / HR SERIES
收件日期(Sample Receiving Date) : 2019/07/26
測試期間(Testing Period) : 2019/07/26 to 2019/08/02

測試需求(Test Requested) : 依據客戶要求，進行高關注物質(SVHC)篩檢。 / As requested by client, SVHC Screening was performed.

測試方法(Test Method) : 參照SGS內部方法RSTS-EE-SVHC-007。以氣相層析/質譜儀、液相層析質譜儀進行分析。(SGS In-House method-RSTS-EE-SVHC-007. Analyzed by GC/MS, LC/MS.)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages).


報告簽署人/張伯睿/博士/技術經理
Ray Chang, Ph.D./Manager -Tech
Signed for and on behalf of
SGS Taiwan Limited
化學實驗室-高雄/Chemical Laboratory -Kaohsiung



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

試驗報告

號碼(No.): KA/2019/72026 日期(Date): 2019/08/02 頁數(Page): 2 of 4

Test Report

天二科技股份有限公司

EVER OHMS TECHNOLOGY CO., LTD.

高雄市前鎮區高雄加工出口區南四路3號

NO. 3, SOUTH 4TH ROAD, K. E. P. Z. KAOHSIUNG CITY, 80681 TAIWAN R. O. C.

測試樣品(Test Sample):

No. 1 : 黑色/白色/銀色 電子零件 (BLACK/WHITE/SILVER COLORED ELECTRONIC COMPONENT)

測試結果 (Test Results) (單位Unit: %)

| 物質名稱 (Substance Name) | RL | 結果 (Result) |
|---|------|----------------|
| | | No. 1 |
| 2, 3, 3, 3-四氟-2-(七氟丙氧基)丙酸, 鹽類, 及其鹼鹵(涵蓋他們其個別和組合之同分異構物) / 2, 3, 3, 3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof) | 0.05 | n. d. |
| 2-甲氧基乙基乙酯 / 2-methoxyethyl acetate (CAS No.: 110-49-6) | 0.05 | n. d. |
| 三(4-壬基, 支鏈及直鏈)亞磷酸酯 含≥0.1%的支鏈及直鏈4-壬基酚 / Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4-nonylphenol, branched and linear (4-NP) | 0.05 | n. d. |
| 4-叔丁基苯酚 / 4-tert-butylphenol (CAS No.: 98-54-4) | 0.05 | n. d. |

備註(Note):

1. mg/kg = ppm ; 0.1wt% = 1000ppm
2. RL = Reporting Limit / 報告極限值
3. n. d. = not detected = below Reporting Limit / 未檢出
4. 分類/Classification: http://twap.sgs.com/sgsrsts/chn/download-REACH_tw.asp

試驗報告

Test Report

號碼(No.): KA/2019/72026 日期(Date): 2019/08/02 頁數(Page): 3 of 4

天二科技股份有限公司


EVER OHMS TECHNOLOGY CO., LTD.

高雄市前鎮區高雄加工出口區南四路3號

NO. 3, SOUTH 4TH ROAD, K. E. P. Z. KAOHSIUNG CITY, 80681 TAIWAN R. O. C.

分析流程圖 / Analytical flow chart

- 測試人員：陳威錚 / 黃璟璿 / Technician : Dorothy Chen / Ginny Huang
- 測試負責人：張伯睿 / Supervisor: Ray Chang



試驗報告

Test Report

號碼(No.): KA/2019/72026 日期(Date): 2019/08/02 頁數(Page): 4 of 4

天二科技股份有限公司

EVER OHMS TECHNOLOGY CO., LTD.

高雄市前鎮區高雄加工出口區南四路3號

NO. 3, SOUTH 4TH ROAD, K. E. P. Z. KAOHSIUNG CITY, 80681 TAIWAN R. O. C.

* 照片中如有箭頭標示，則表示為實際檢測之樣品/部位。 *
(The tested sample / part is marked by an arrow if it's shown on the photo.)

KA/2019/72026



** 報告結尾(End of Report) **

試驗報告

Test Report

號碼(No.): KA/2018/61617E-01 日期(Date): 2019/02/26 頁數(Page): 1 of 17

天二科技股份有限公司
EVER OHMS TECHNOLOGY CO., LTD.
高雄市前鎮區高雄加工出口區南四路3號
NO. 3, SOUTH 4TH ROAD, K. E. P. Z. KAOHSIUNG CITY, 80681 TAIWAN R. O. C.

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted By) : 天二科技股份有限公司 (EVER OHMS TECHNOLOGY CO., LTD.)
樣品名稱(Sample Description) : LEAD FREE CHIP RESISTORS & CHIP ARRAYS
樣品型號(Style/Item No) : CR SERIES / TCR SERIES / CRR SERIES / CRH SERIES / CRL SERIES / CRW SERIES / CRA SERIES / QR SERIES / QRA SERIES /ST SERIES / STA SERIES / HR SERIES
收件日期(Sample Receiving Date) : 2018/06/21
測試期間(Testing Period) : 2018/06/21 to 2018/06/27 and 2019/01/16 to 2019/02/26

=====
測試需求(Test Requested) : 依據客戶指定, 參考REACH之Regulation (EC) No 1907/2006的公告進行以下測試 / As specified by client, the sample(s) was/were tested with reference to Regulation (EC) No 1907/2006 concerning the REACH.
■ 197項高關注物質候選清單, 於2019年01月15日公告 / 197 Substances of Very High Concern (SVHC). Candidate list is published on 2019 January 15

測試結果(Test Results) : 請見下一頁 (Please refer to next pages).
總結(Summary) : 根據歐洲法院對於REACH規範下成品定義的裁決以及指定範圍和分析技術, 送測樣品中所選擇的零組件成品172項高關注物質(SVHC) 測試結果小於0.1%(w/w) / According to the ruling of the Court of Justice of the European Union on the definition of an article under REACH, and the specified scope as well as analytical technique, the test results of 172 items in the selected component article are $\leq 0.1\%$ (w/w). 【See note N/A*】

* 此份報告為加測及合併KA/2018/61617之報告 *
(This report is added testing and combined with KA/2018/61617)


報告簽署人/張伯睿/博士/技術經理
Ray Chang, Ph.D./Manager -Tech
Signed for and on behalf of
SGS Taiwan Limited
化學實驗室-高雄/Chemical Laboratory, Kaohsiung



試驗報告

Test Report

號碼(No.): KA/2018/61617E-01 日期(Date): 2019/02/26 頁數(Page): 2 of 17

天二科技股份有限公司
 EVER OHMS TECHNOLOGY CO., LTD.
 高雄市前鎮區高雄加工出口區南四路3號
 NO. 3, SOUTH 4TH ROAD, K. E. P. Z. KAOHSIUNG CITY, 80681 TAIWAN R. O. C.

測試樣品(Test Sample): 白色/黑色/銀色 電子零件 (WHITE/BLACK/SILVER ELECTRONIC COMPONENT)

測試方法(Test Method):

由感應耦合電漿原子發射光譜儀、紫外光可見光譜儀、氣相層析/質譜儀、液相層析/質譜儀、氣相層析儀/火焰光度偵測器、液相層析/質譜儀/二極體陣列偵測器、超高效能液相層析串聯質譜儀進行分析。/ SGS In-House method-RSTS-EE-SVHC-007. Analyzed by ICP-AES, UV-VIS, GC/MS, LC/MS, GC/FPD, LC/MS/DAD, UPLC-MSMS.

測試結果 (Test Results)

| No. | 物質名稱 (Substance Name) | RL (%) | 濃度 (Concentration) (%) |
|-----|--|-----------|------------------------------|
| 1. | 4,4' - 二氨基二苯甲烷 / 4,4' - Diaminodiphenylmethane (MDA) (CAS No. : 101-77-9) | 0.05 | n. d. |
| 2. | 二甲苯麝香 / 5-tert-butyl-2,4,6-trinitro- m-xylene (Musk Xylene) (CAS No. : 81-15-2) | 0.05 | n. d. |
| 3. | 短鏈氯化石蠟 / Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) (CAS No. : 85535-84-8) | 0.05 | n. d. |
| 4. | 蒽 / Anthracene (CAS No. : 120-12-7) | 0.05 | n. d. |
| 5. | 鄰苯二甲酸丁苯甲酯 / BBP (Butyl Benzyl phthalate) (CAS No. : 85-68-7) | 0.05 | n. d. |
| 6. | 氧化雙三丁基錫 / Bis(tributyltin)oxide (TBTO)*** (CAS No. : 56-35-9) | - | n. d. |
| 7. | 五氧化二砷 / Diarsenic pentaoxide*** (CAS No. : 1303-28-2) | - | n. d. |
| 8. | 三氧化二砷 / Diarsenic trioxide*** (CAS No. : 1327-53-3) | - | n. d. |
| 9. | 鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No. : 84-74-2) | 0.05 | n. d. |
| 10. | 六溴環十二烷及所有主要被辨別出的異構物 / Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD) (CAS No. : 25637-99-4 and 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8)) | 0.05 | n. d. |
| 11. | 磷酸氫鉛 / Lead hydrogen arsenate*** (CAS No. : 7784-40-9) (※1) | - | n. d. |
| 12. | 重鉻酸鈉 / Sodium dichromate*** (CAS No. : 7789-12-0; 10588-01-9(*)) | - | n. d. |
| 13. | 三乙基砷酸酯 / Triethyl arsenate*** (CAS No. : 15606-95-8) | - | n. d. |
| 14. | 鄰苯二甲酸二(2-乙基己基)酯 / DEHP (Bis (2-ethyl(hexyl) phthalate)) (CAS No. : 117-81-7) | 0.05 | n. d. |
| 15. | 2,4-二硝基甲苯 / 2,4-Dinitrotoluene (CAS No. : 121-14-2) | 0.05 | n. d. |
| 16. | 蒽油 / Anthracene oil (CAS No. : 90640-80-5) (**) | 0.05 | n. d. |
| 17. | 蒽油, 蒽糊 / Anthracene oil, anthracene paste (CAS No. : 90640-81-6) (**) | 0.05 | n. d. |
| 18. | 蒽油, 蒽糊, 蒽餾分 / Anthracene oil, anthracene paste, anthracene fraction (CAS No. : 91995-15-2) (**) | 0.05 | n. d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

試驗報告

Test Report

號碼(No.): KA/2018/61617E-01 日期(Date): 2019/02/26 頁數(Page): 3 of 17

天二科技股份有限公司
 EVER OHMS TECHNOLOGY CO., LTD.
 高雄市前鎮區高雄加工出口區南四路3號
 NO. 3, SOUTH 4TH ROAD, K. E. P. Z. KAOHSIUNG CITY, 80681 TAIWAN R. O. C.

| No. | 物質名稱 (Substance Name) | RL (%) | 濃度 (Concentration) (%) |
|-----|--|-----------|------------------------------|
| 19. | 蔥油, 蔥糊, 輕油 / Anthracene oil, anthracene paste, distn. Lights (CAS No.: 91995-17-4) (**) | 0.05 | n. d. |
| 20. | 蔥油, 含蔥量少 / Anthracene oil, anthracene-low (CAS No.: 90640-82-7) (**) | 0.05 | n. d. |
| 21. | 鄰苯二甲酸二異丁酯 / DIBP (Di-isobutyl phthalate) (CAS No.: 84-69-5) | 0.05 | n. d. |
| 22. | 鉻酸鉛 / Lead chromate*** (CAS No.: 7758-97-6) (*5) | - | n. d. |
| 23. | 鉬鉻紅; 顏色索引: 顏料紅104 / Lead chromate molybdate sulphate red*** (C. I. Pigment Red 104) (CAS No.: 12656-85-8) (*5) | - | n. d. |
| 24. | 鉻酸鉛; 顏色索引: 顏料黃34 / Lead sulfochromate yellow*** (C. I. Pigment Yellow 34) (CAS No.: 1344-37-2) (*5) | - | n. d. |
| 25. | 煤瀝青, 高溫 / Pitch, coal tar, high-temp. (CAS No.: 65996-93-2) (**) | 0.05 | n. d. |
| 26. | 磷酸三(2-氯乙基)酯 / Tris(2-chloroethyl) phosphate (TCEP) (CAS No.: 115-96-8) | 0.05 | n. d. |
| 27. | 丙烯醯胺 / Acrylamide (CAS No.: 79-06-1) | 0.05 | n. d. |
| 28. | 重鉻酸鉍 / Ammonium dichromate*** (CAS No.: 7789-09-5) | - | n. d. |
| 29. | 硼酸 / Boric acid*** (CAS No.: 10043-35-3; 11113-50-1) | - | n. d. |
| 30. | 無水四硼酸二鈉 / Disodium tetraborate, anhydrous*** (CAS No.: 1303-96-4, 1330-43-4, 12179-04-3) | - | n. d. |
| 31. | 鉻酸鉀 / Potassium chromate*** (CAS No.: 7789-00-6) | - | n. d. |
| 32. | 重鉻酸鉀 / Potassium dichromate*** (CAS No.: 7778-50-9) | - | n. d. |
| 33. | 鉻酸鈉 / Sodium chromate*** (CAS No.: 7775-11-3) | - | n. d. |
| 34. | 水合硼酸鈉 / Tetraboron disodium heptaoxide, hydrate (CAS No.: 12267-73-1) (*2) | - | n. d. |
| 35. | 三氯乙烯 / Trichloroethylene (CAS No.: 79-01-6) | 0.05 | n. d. |
| 36. | 乙二醇乙醚 / 2-Ethoxyethanol (CAS No.: 110-80-5) | 0.05 | n. d. |
| 37. | 乙二醇甲醚 / 2-Methoxyethanol (CAS No.: 109-86-4) | 0.05 | n. d. |
| 38. | 從三氧化鉻與其它寡聚體生成的酸類: 鉻酸 / Acids generated from chromium trioxide and their oligomers: Chromic acid*** (CAS No.: 7738-94-5) | - | n. d. |
| | 從三氧化鉻與其它寡聚體生成的酸類: 重鉻酸 / Acids generated from chromium trioxide and their oligomers: Dichromic acid*** (CAS No.: 13530-68-2) | - | n. d. |
| | 從三氧化鉻與其它寡聚體生成的酸類: 鉻酸與重鉻酸的寡聚體 / Acids generated from chromium trioxide and their oligomers: Oligomers of chromic acid and dichromic acid (*1) | - | n. d. |
| 39. | 三氧化鉻 / Chromium trioxide *** (CAS No.: 1333-82-0) | - | n. d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

試驗報告

Test Report

號碼(No.): KA/2018/61617E-01 日期(Date): 2019/02/26 頁數(Page): 4 of 17

天二科技股份有限公司
 EVER OHMS TECHNOLOGY CO., LTD.
 高雄市前鎮區高雄加工出口區南四路3號
 NO. 3, SOUTH 4TH ROAD, K. E. P. Z. KAOHSIUNG CITY, 80681 TAIWAN R. O. C.

| No. | 物質名稱 (Substance Name) | RL (%) | 濃度 (Concentration) (%) |
|-----|---|-----------|------------------------------|
| 40. | 碳酸鈷(二價) / Cobalt(II) carbonate*** (CAS No. : 513-79-1) | - | n. d. |
| 41. | 醋酸鈷(二價) / Cobalt(II) diacetate*** (CAS No. : 71-48-7) | - | n. d. |
| 42. | 硝酸鈷(二價) / Cobalt(II) dinitrate*** (CAS No. : 10141-05-6) | - | n. d. |
| 43. | 硫酸鈷(二價) / Cobalt(II) sulphate*** (CAS No. : 10124-43-3) | - | n. d. |
| 44. | 1, 2, 3-三氯丙烷 / 1, 2, 3-trichloropropane (CAS No. : 96-18-4) | 0.05 | n. d. |
| 45. | 鄰苯二甲酸二(C6-8支鏈)烷基酯, 富C7 / 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP) (CAS No. : 71888-89-6) | 0.05 | n. d. |
| 46. | 鄰苯二甲酸二(C7-11支鏈與直鏈)烷基酯 / 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP) (CAS No. : 68515-42-4) | 0.05 | n. d. |
| 47. | N-甲基吡咯烷酮 / 1-methyl-2-pyrrolidone (CAS No. : 872-50-4) | 0.05 | n. d. |
| 48. | 乙二醇乙醚乙酸酯 / 2-ethoxyethyl acetate (CAS No. : 111-15-9) | 0.05 | n. d. |
| 49. | 聯氨 / Hydrazine (CAS No. : 7803-57-8; 302-01-2) | 0.05 | n. d. |
| 50. | 鉻酸鋇 / Strontium chromate*** (CAS No. : 7789-06-2) | - | n. d. |
| 51. | 二氯化鈷 / Cobalt dichloride (CAS No. : 7646-79-9) | 0.005 | n. d. |
| 52. | 1, 2-二氯乙烷 / 1, 2-Dichloroethane (CAS No. : 107-06-2) | 0.05 | n. d. |
| 53. | 4, 4'-亞甲雙(2-氯苯胺) / 2, 2'-dichloro- 4, 4'-methylenedianiline (MOCA) (CAS No. : 101-14-4) | 0.05 | n. d. |
| 54. | 鄰甲氧基苯胺 / 2-Methoxyaniline; o-Anisidine (CAS No. : 90-04-0) | 0.05 | n. d. |
| 55. | 對特辛基苯酚 / 辛基酚 / 4-(1, 1, 3, 3-tetramethylbutyl) phenol, (4-tert-Octylphenol) (CAS No. : 140-66-9) | 0.05 | n. d. |
| 56. | 矽酸鋁, 耐火陶瓷纖維(主要成分濃度於可變範圍內) / Aluminosilicate, Refractory Ceramic Fibres 【oxides of aluminium and silicon are the main components present (in the fibres) within variable concentration ranges】 | 0.05 | n. d. |
| 57. | 砷酸 / Arsenic acid*** (CAS No. : 7778-39-4) | - | n. d. |
| 58. | 雙(2-甲氧基乙基)醚 / Bis(2-methoxyethyl) ether (CAS No. : 111-96-6) | 0.05 | n. d. |
| 59. | 鄰苯二甲酸二甲氧基乙酯 / Bis(2-methoxyethyl) phthalate (CAS No. : 117-82-8) | 0.05 | n. d. |
| 60. | 砷酸鈣 / Calcium arsenate*** (CAS No. : 7778-44-1) | - | n. d. |
| 61. | 鉻酸鉻 / Dichromium tris (chromate)*** (CAS No. : 24613-89-6) | - | n. d. |
| 62. | 甲醛與苯胺的寡聚體 / Formaldehyde, oligomeric reaction products with aniline (technical MDA) (CAS No. : 25214-70-4) | 0.05 | n. d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

試驗報告

號碼(No.): KA/2018/61617E-01 日期(Date): 2019/02/26 頁數(Page): 5 of 17

Test Report

天二科技股份有限公司
 EVER OHMS TECHNOLOGY CO., LTD.
 高雄市前鎮區高雄加工出口區南四路3號
 NO. 3, SOUTH 4TH ROAD, K. E. P. Z. KAOHSIUNG CITY, 80681 TAIWAN R. O. C.

| No. | 物質名稱 (Substance Name) | RL (%) | 濃度 (Concentration) (%) |
|-----|---|-----------|------------------------------|
| 63. | 疊氮化鉛 / Lead diazide, Lead azide*** (CAS No. : 13424-46-9) | - | N/A* |
| 64. | 苦味酸鉛 / Lead dipicrate*** (CAS No. : 6477-64-1) | - | N/A* |
| 65. | 中性斯蒂酚酸鉛 / Lead styphnate*** (CAS No. : 15245-44-0) | - | N/A* |
| 66. | N,N-二甲基乙醯胺 / N,N-dimethylacetamide (DMAC) (CAS No. : 127-19-5) | 0.05 | n. d. |
| 67. | 八氫氧化五鉻酸鋅 / Pentazinc chromate octahydroxide*** (CAS No. : 49663-84-5) | - | n. d. |
| 68. | 酚酞 / Phenolphthalein (CAS No. : 77-09-8) | 0.05 | n. d. |
| 69. | 氫氧化鉻酸鋅鉀 / Potassium hydroxyoctaoxidizincatedi- chromate*** (CAS No. : 11103-86-9) | - | n. d. |
| 70. | 砷酸鉛 / Trilead diarsenate*** (CAS No. : 3687-31-8) (※1) | - | n. d. |
| 71. | 鋯矽酸鋁，耐火陶瓷纖維（主要成分濃度於可變範圍內） / Zirconia Aluminosilicate, Refractory Ceramic Fibres 【oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges】 | 0.05 | n. d. |
| 72. | 鹼性藍 26 [內含≥ 0.1% 的米氏酮或米氏鹼] / [4-[4-anilino-1-naphthyl] [4-(dimethylamino) phenyl] methylene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) (CAS No. : 2580-56-5) [with ≥ 0.1% of Michler's ketone or Michler's base] | 0.05 | n. d. |
| 73. | 鹼性紫 3 [內含≥ 0.1% 的米氏酮或米氏鹼] / [4-[4,4'-bis(dimethylamino) benzhydrylidene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Violet 3) (CAS No. : 548-62-9) [with ≥ 0.1% of Michler's ketone or Michler's base] | 0.05 | n. d. |
| 74. | 三甘醇二甲醚 / 1,2-bis(2-methoxyethoxy) ethane (TEGDME; triglyme) (CAS No. : 112-49-2) | 0.05 | n. d. |
| 75. | 乙二醇二甲醚 / 1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME) (CAS No. : 110-71-4) | 0.05 | n. d. |
| 76. | 異氰尿酸三縮水甘油酯 / TGIC (1,3,5-tris(oxiranylmethyl)- 1,3,5-triazine-2,4,6 (1H,3H,5H)-trione) (CAS No. : 2451-62-9) | 0.05 | n. d. |
| 77. | 異氰尿酸β-三縮水甘油酯 / β-TGIC (1,3,5-tris [(2S and 2R)-2,3-epoxypropyl]- 1,3,5-triazine-2,4,6- (1H,3H,5H)-trione) (CAS No. : 59653-74-6) (※3) | 0.05 | n. d. |
| 78. | α, α-二[(二甲氨基)苯基]-4-甲氨基苯甲醇 [內含≥ 0.1% 的米氏酮或米氏鹼] / 4,4'-bis(dimethylamino)-4''-(methylamino) trityl alcohol (CAS No. : 561-41-1) [with ≥ 0.1% of Michler's ketone or Michler's base] | 0.05 | n. d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

試驗報告

Test Report

號碼(No.): KA/2018/61617E-01 日期(Date): 2019/02/26 頁數(Page): 6 of 17

天二科技股份有限公司
 EVER OHMS TECHNOLOGY CO., LTD.
 高雄市前鎮區高雄加工出口區南四路3號
 NO. 3, SOUTH 4TH ROAD, K. E. P. Z. KAOHSIUNG CITY, 80681 TAIWAN R. O. C.

| No. | 物質名稱 (Substance Name) | RL (%) | 濃度 (Concentration) (%) |
|-----|--|-----------|------------------------------|
| 79. | 4,4'-二(N,N-二甲氨基)二苯甲酮 (米氏酮) / 4,4'-bis (dimethylamino) benzophenone (Michler's ketone) (CAS No.: 90-94-8) | 0.05 | n. d. |
| 80. | 三氧化二硼 / Diboron trioxide*** (CAS No.: 1303-86-2) | - | n. d. |
| 81. | 甲醯胺 / Formamide (CAS No.: 75-12-7) | 0.05 | n. d. |
| 82. | 甲基磺酸鉛 / Lead(II) bis(methanesulfonate)*** (CAS No.: 17570-76-2) | - | N/A* |
| 83. | 4,4'-(對二甲氨基)二苯基甲烷 (米氏鹼) / N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base) (CAS No.: 101-61-1) | 0.05 | n. d. |
| 84. | 溶劑藍 4 [內含 ≥ 0.1% 的米氏酮或米氏鹼] / α,α-Bis[4-(dimethylamino) phenyl]-4 (phenylamino) naphthalene-1-methanol (C. I. Solvent Blue 4) (CAS No.: 6786-83-0) [with ≥ 0.1% of Michler's ketone or Michler's base] | 0.05 | n. d. |
| 85. | [1,2-苯二羧酸根合]二氧化三鉛 / [Phthalato(2-)] dioxotrilead*** (CAS No.: 69011-06-9) | - | N/A* |
| 86. | 支鏈和直鏈1,2-苯二羧二戊酯 / 1,2-Benzenedicarboxylic acid, dipentylester, branched and linear (CAS No.: 84777-06-0) | 0.05 | n. d. |
| 87. | 乙二醇二乙醚 / 1,2-Diethoxyethane (CAS No.: 629-14-1) | 0.05 | n. d. |
| 88. | 正丙基溴 / 1-bromopropane (CAS No.: 106-94-5) | 0.05 | n. d. |
| 89. | 3-乙基-2-甲基-2-(3-甲基丁基)-1,3-惡唑烷 / 3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine (CAS No.: 143860-04-2) | 0.05 | n. d. |
| 90. | 4-(1,1,3,3-四甲基丁基)苯酚, 乙氧基 [以及所有的被定義的物質, 未知成分或可變成分的物質, 聚合物和同系物] / 4-(1,1,3,3-tetramethylbutyl) phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues] | 0.05 | n. d. |
| 91. | 4,4'-二氨基-3,3'-二甲基聯苯基甲烷 / 4,4'-methylenedi-o-toluidine (CAS No.: 838-88-0) | 0.05 | n. d. |
| 92. | 4,4'-二氨基二苯醚 / 4,4'-oxydianiline and its salts (CAS No.: 101-80-4) | 0.05 | n. d. |
| 93. | 4-苯基偶氮基苯胺 / 4-Aminoazobenzene (CAS No.: 60-09-3) | 0.05 | n. d. |
| 94. | 2,4-二氨基甲苯 / 4-methyl-m-phenylenediamine (2,4-toluenediamine) (CAS No.: 95-80-7) | 0.05 | n. d. |
| 95. | 分支或線性的壬基酚, 包括含有9個碳烷基鏈的所有獨立的同分異構體和所有含有線性或分支9個碳烷基鏈的UVCB物質 / 4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof] | 0.05 | n. d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

試驗報告

Test Report

號碼(No.): KA/2018/61617E-01 日期(Date): 2019/02/26 頁數(Page): 7 of 17

天二科技股份有限公司
 EVER OHMS TECHNOLOGY CO., LTD.
 高雄市前鎮區高雄加工出口區南四路3號
 NO. 3, SOUTH 4TH ROAD, K. E. P. Z. KAOHSIUNG CITY, 80681 TAIWAN R. O. C.

| No. | 物質名稱 (Substance Name) | RL (%) | 濃度 (Concentration) (%) |
|------|---|-----------|------------------------------|
| 96. | 3-甲基-6-甲氧基苯胺 / 6-methoxy-m-toluidine (p-cresidine) (CAS No. : 120-71-8) | 0.05 | n. d. |
| 97. | 城式醋酸鉛 / Acetic acid, lead salt, basic*** (CAS No. : 51404-69-4) | - | N/A* |
| 98. | 4-胺基聯苯 / Biphenyl-4-ylamine (CAS No. : 92-67-1) | 0.05 | n. d. |
| 99. | 十溴聯苯醚 / Bis(pentabromophenyl) ether (DecaBDE) (CAS No. : 1163-19-5) | 0.05 | n. d. |
| 100. | 六氫苯二甲酸酐 / Cyclohexane-1,2-dicarboxylic anhydride (HHPA), cis-cyclohexane-1,2- dicarboxylic anhydride, trans-cyclohexane-1,2- dicarboxylic anhydride (Hexahydrophthalic anhydride - HHPA) (CAS No. : 85-42-7, 13149-00-3, 14166-21-3) | 0.05 | n. d. |
| 101. | 偶氮[二]甲醯胺 / Diazene-1,2-dicarboxamide (C, C' -azodi(formamide)) (CAS No. : 123-77-3) | 0.05 | n. d. |
| 102. | 二氯二丁基錫 / Dibutyltin dichloride (DBTC)*** (CAS No. : 683-18-1) | - | n. d. |
| 103. | 硫酸二乙酯 / Diethyl sulphate (CAS No. : 64-67-5) | 0.05 | n. d. |
| 104. | 鄰苯二甲酸二異戊酯 / Diisopentylphthalate (CAS No. : 605-50-5) | 0.05 | n. d. |
| 105. | 硫酸二甲酯 / Dimethyl sulphate (CAS No. : 77-78-1) | 0.05 | n. d. |
| 106. | 2-(1-甲基丙基)-4,6-二硝基苯酚 / Dinoseb (CAS No. : 88-85-7) | 0.05 | n. d. |
| 107. | 雙(十八酸基)二氧代三鉛 / Dioxobis(stearato) trilead*** (CAS No. : 12578-12-0) | - | N/A* |
| 108. | C16-18-脂肪酸鉛鹽 / Fatty acids, C16-18, lead salts*** (CAS No. : 91031-62-8) | - | N/A* |
| 109. | 呋喃 / Furan (CAS No. : 110-00-9) | 0.05 | n. d. |
| 110. | 全氟十一酸 / Henicosafluoroundecanoic acid (CAS No. : 2058-94-8) | 0.05 | n. d. |
| 111. | 全氟十四酸 / Heptacosafuorotetradecanoic acid (CAS No. : 376-06-7) | 0.05 | n. d. |
| 112. | 甲基六氫苯酐 / Hexahydromethylphthalic anhydride (CAS No. : 25550-51-0) 4-甲基六氫苯酐 / Hexahydro-4-methylphthalic anhydride (CAS No. : 19438-60-9) 1-甲基六氫苯酐 / Hexahydro-1-methylphthalic anhydride (CAS No. : 48122-14-1) 3-甲基六氫苯酐 / Hexahydro-3-methylphthalic anhydride (CAS No. : 57110-29-9) | 0.05 | n. d. |
| 113. | 四氟硼酸鉛 (II) / Lead bis(tetrafluoroborate)*** (CAS No. : 13814-96-5) | - | N/A* |
| 114. | 氨基氰鉛鹽 / Lead cyanamidate*** (CAS No. : 20837-86-9) | - | N/A* |
| 115. | 硝酸鉛 / Lead dinitrate*** (CAS No. : 10099-74-8) | - | N/A* |
| 116. | 氧化鉛 / Lead oxide (lead monoxide)*** (CAS No. : 1317-36-8) | - | N/A* |
| 117. | 城式硫酸鉛 / Lead oxide sulfate*** (CAS No. : 12036-76-9) | - | N/A* |
| 118. | 鈦酸鉛 / Lead titanium trioxide*** (CAS No. : 12060-00-3) | - | N/A* |
| 119. | 鈦酸鉛鋯 / Lead Titanium Zirconium Oxide*** (CAS No. : 12626-81-2) | - | N/A* |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

試驗報告

Test Report

號碼(No.): KA/2018/61617E-01 日期(Date): 2019/02/26 頁數(Page): 8 of 17

天二科技股份有限公司
 EVER OHMS TECHNOLOGY CO., LTD.
 高雄市前鎮區高雄加工出口區南四路3號
 NO. 3, SOUTH 4TH ROAD, K. E. P. Z. KAOHSIUNG CITY, 80681 TAIWAN R. O. C.

| No. | 物質名稱 (Substance Name) | RL (%) | 濃度 (Concentration) (%) |
|------|---|-----------|------------------------------|
| 120. | 甲氧基乙酸 / Methoxy acetic acid (CAS No. : 625-45-6) | 0.05 | n. d. |
| 121. | 環氧丙烷 / Propylene oxide; 1,2-epoxypropane; methyloxirane (CAS No. : 75-56-9) | 0.05 | n. d. |
| 122. | N,N-二甲基甲醯胺 / N,N-dimethylformamide; dimethyl formamide (CAS No. : 68-12-2) | 0.05 | n. d. |
| 123. | N-甲基乙醯胺 / N-methylacetamide (CAS No. : 79-16-3) | 0.05 | n. d. |
| 124. | 鄰苯二甲酸正戊異戊酯 / N-pentyl-isopentylphthalate (CAS No. : 776297-69-9) | 0.05 | n. d. |
| 125. | 鄰氨基偶氮甲苯 / o-aminoazotoluene (CAS No. : 97-56-3) | 0.05 | n. d. |
| 126. | 四氧化鉛 / Lead tetroxide (orange lead)*** (CAS No. : 1314-41-6) | - | N/A* |
| 127. | 鄰甲苯胺 / o-Toluidine; 2-Aminotoluene (CAS No. : 95-53-4) | 0.05 | n. d. |
| 128. | 全氟十三酸 / Pentacosfluorotridecanoic acid (CAS No. : 72629-94-8) | 0.05 | n. d. |
| 129. | 氧化鉛與硫酸鉛的複合物 / Pentalead tetraoxide sulphate*** (CAS No. : 12065-90-6) | - | N/A* |
| 130. | C. I. 顏料黃41 / Pyrochlore, antimony lead yellow*** (CAS No. : 8012-00-8) | - | N/A* |
| 131. | 含鉛的矽酸鋇 / Silicic acid, barium salt, lead-doped (※4) (CAS No. : 68784-75-8) | 0.05 | n. d. |
| 132. | 矽酸鉛 / Silicic acid, lead salt*** (CAS No. : 11120-22-2) | - | N/A* |
| 133. | 亞硫酸鉛(II) / Sulfurous acid, lead salt, dibasic*** (CAS No. : 62229-08-7) | - | N/A* |
| 134. | 四乙基鉛 / Tetraethyllead*** (CAS No. : 78-00-2) | - | N/A* |
| 135. | 三鹼式硫酸鉛 / C. I. 顏料白 / Tetralead trioxide sulphate*** (CAS No. : 12202-17-4) | - | N/A* |
| 136. | 全氟十二酸 / Tricosfluorododecanoic acid (CAS No. : 307-55-1) | 0.05 | n. d. |
| 137. | 碱式碳酸鉛 / Trilead bis(carbonate) dihydroxide (basic lead carbonate)*** (CAS No. : 1319-46-6) | - | N/A* |
| 138. | 磷酸氧化鉛 / Trilead dioxide phosphonate*** (CAS No. : 12141-20-7) | - | N/A* |
| 139. | 分支或線性的乙氧基壬基酚，包括含有9個碳烷基鏈的所有獨立的同分異構體和所有含有線性或分支9個碳烷基鏈的UVCB物質 / 4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof] | 0.05 | n. d. |
| 140. | 全氟辛酸銨 / Ammoniumpentadecafluorooctanoate (APFO)*** (CAS No. : 3825-26-1) | - | n. d. |
| 141. | 鎘 / Cadmium (Cd) (CAS No. : 7440-43-9) | 0.005 | n. d. |
| 142. | 氧化鎘 / Cadmium oxide*** (CAS No. : 1306-19-0) | - | n. d. |
| 143. | 鄰苯二甲酸二戊酯 / Dipentyl phthalate (CAS No. : 131-18-0) | 0.05 | n. d. |
| 144. | 全氟辛酸 / Pentadecafluorooctanoic acid (PFOA) (CAS No. : 335-67-1) | 0.05 | n. d. |
| 145. | 硫化鎘 / Cadmium sulphide*** (CAS No. : 1306-23-6) | - | n. d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

試驗報告

Test Report

號碼(No.): KA/2018/61617E-01 日期(Date): 2019/02/26 頁數(Page): 9 of 17

天二科技股份有限公司
 EVER OHMS TECHNOLOGY CO., LTD.
 高雄市前鎮區高雄加工出口區南四路3號
 NO. 3, SOUTH 4TH ROAD, K. E. P. Z. KAOHSIUNG CITY, 80681 TAIWAN R. O. C.

| No. | 物質名稱 (Substance Name) | RL (%) | 濃度 (Concentration) (%) |
|------|--|-----------|------------------------------|
| 146. | 鄰苯二甲酸二己酯 / Dihexyl phthalate (CAS No. : 84-75-3) | 0.05 | n. d. |
| 147. | 直接紅28 / Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C. I. Direct Red 28) (CAS No. : 573-58-0) | 0.05 | n. d. |
| 148. | 直接黑38 / Disodium 4-amino-3'-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C. I. Direct Black 38) (CAS No. : 1937-37-7) | 0.05 | n. d. |
| 149. | 亞乙基硫脲 / Imidazolidine-2-thione; 2-imidazoline-2-thiol (CAS No. : 96-45-7) | 0.05 | n. d. |
| 150. | 醋酸鉛 / Lead di(acetate)*** (CAS No. : 301-04-2) | - | N/A* |
| 151. | 磷酸三(二甲苯)酯 / Trixylyl phosphate (CAS No. : 25155-23-1) | 0.05 | n. d. |
| 152. | 鄰苯二甲酸二己酯(支鏈和直鏈) / 1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear (CAS No. : 68515-50-4) | 0.05 | n. d. |
| 153. | 氯化鎘 / Cadmium chloride*** (CAS No. : 10108-64-2) | - | n. d. |
| 154. | 過硼酸鈉 / Sodium perborate; perboric acid, sodium salt*** | - | n. d. |
| 155. | 過氧偏硼酸鈉 / Sodium peroxometaborate*** (CAS No. : 7632-04-4) | - | n. d. |
| 156. | 2-(2'-羥基-3',5'-二-叔-戊基苯基)苯並三唑 (紫外線吸收劑328) / 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328) (CAS No. : 25973-55-1) | 0.05 | n. d. |
| 157. | 2-[2-羥基-3',5'-二-叔-丁基苯基]-苯並三唑 (紫外線吸收劑320) / 2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320) (CAS No. : 3846-71-7) | 0.05 | n. d. |
| 158. | 二正辛基-雙(2-乙基己基巯基乙酸酯)錫 / 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)*** (CAS No. : 15571-58-1) | - | n. d. |
| 159. | 氟化鎘 / Cadmium fluoride*** (CAS No. : 7790-79-6) | - | n. d. |
| 160. | 硫酸鎘 / Cadmium sulphate*** (CAS No. : 10124-36-4; 31119-53-6) | - | n. d. |
| 161. | 二正辛基-雙(2-乙基己基巯基乙酸酯)錫和單辛基-三(2-乙基己基巯基乙酸酯)錫的反應物 / Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)*** | - | n. d. |
| 162. | 鄰苯二甲酸二(C6-10)烷基酯; 鄰苯二甲酸二己、二辛、二癸酯混合物; 鄰苯二甲酸二己酯 ≥ 0.3% / 1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (CAS No. : 68515-51-5; 68648-93-1) | 0.05 | n. d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

試驗報告

號碼(No.): KA/2018/61617E-01 日期(Date): 2019/02/26 頁數(Page): 10 of 17

Test Report

天二科技股份有限公司

EVER OHMS TECHNOLOGY CO., LTD.

高雄市前鎮區高雄加工出口區南四路3號

NO. 3, SOUTH 4TH ROAD, K. E. P. Z. KAOHSIUNG CITY, 80681 TAIWAN R. O. C.

| No. | 物質名稱 (Substance Name) | RL (%) | 濃度 (Concentration) (%) |
|------|---|-----------|------------------------------|
| 163. | 5-二級丁基-2-(2,4-二甲基環己-3-烯-1-基)-5-甲基-1,3-二氧環己烷[1], 5-二級丁基-2-(4,6-二甲基環己-3-烯-1-基)-5-甲基-1,3-二氧環己烷[2], [任何[1]和[2]或者其任意組合的單獨異構物或其任何組合] / 5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof] | 0.05 | n. d. |
| 164. | 1,3-丙烷磺內酯 / 1,3-propanesultone (CAS No.: 1120-71-4) | 0.05 | n. d. |
| 165. | 2,4-二-叔丁基-6-(5-氯-2H-苯并三唑-2-基)苯酚(紫外線吸收劑327) / 2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327) (CAS No.: 3864-99-1) | 0.05 | n. d. |
| 166. | 2-(3-仲-丁基-5-叔丁基-2-羥苯基)苯并三唑(紫外線吸收劑 UV-350) / 2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350) (CAS No.: 36437-37-3) | 0.05 | n. d. |
| 167. | 硝基苯 / Nitrobenzene (CAS No.: 98-95-3) | 0.05 | n. d. |
| 168. | 全氟壬酸 / Perfluorononan-1-oic acid (2, 2, 3, 3, 4, 4, 5, 5, 6, 6, 7, 7, 8, 8, 9, 9, 9-heptafluorononanoic acid and its sodium and ammonium salts (CAS No.: 375-95-1; 21049-39-8; 4149-60-4) | 0.05 | n. d. |
| 169. | 苯并(a)芘 / Benzo[def]chrysene (Benzo[a]pyrene) (CAS No.: 50-32-8) | 0.05 | n. d. |
| 170. | 雙酚A / 4,4'-isopropylidenediphenol (Bisphenol A) (CAS No.: 80-05-7) | 0.05 | n. d. |
| 171. | 4-庚基苯酚, 支鍊及直鍊 (4-HPb1), 包括含有7個碳烷基鏈的所有獨立的同分異構體和所有含有線性或分支7個碳烷基鏈的UVCB物質 / 4-Heptylphenol, branched and linear (4-HPb1) [substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof] | 0.05 | n. d. |
| 172. | 十九氟癸酸及其鈉和銨鹽 / Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts (CAS No.: 3108-42-7, 335-76-2, 3830-45-3) | 0.05 | n. d. |
| 173. | 對(1,1-二甲基丙基)苯酚 / p-(1,1-dimethylpropyl) phenol (PTAP) (CAS No.: 80-46-6) | 0.05 | n. d. |
| 174. | 全氟己基磺酸及其鹽類 / Perfluorohexane-1-sulphonic acid and its salts (PFHxS) (CAS No.: 355-46-4) | 0.05 | n. d. |
| 175. | 德克隆(涵蓋各個反式及順式同分異構物或者相關組合) / 1, 6, 7, 8, 9, 14, 15, 16, 17, 17, 18, 18-Dodecachloropentacyclo [12. 2. 1. 16, 9. 02, 13. 05, 10]octadeca-7, 15-diene ("Dechlorane Plus" TM) [covering any of its individual anti- and syn-isomers or any combination thereof] | 0.05 | n. d. |
| 176. | 苯並[a]蒽 / Benz[a]anthracene (CAS No.: 56-55-3) | 0.05 | n. d. |
| 177. | 硝酸鎘 / Cadmium nitrate*** (CAS No.: 10325-94-7) | - | n. d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

試驗報告

號碼(No.): KA/2018/61617E-01 日期(Date): 2019/02/26 頁數(Page): 11 of 17

Test Report

天二科技股份有限公司
 EVER OHMS TECHNOLOGY CO., LTD.
 高雄市前鎮區高雄加工出口區南四路3號
 NO. 3, SOUTH 4TH ROAD, K. E. P. Z. KAOHSIUNG CITY, 80681 TAIWAN R. O. C.

| No. | 物質名稱 (Substance Name) | RL (%) | 濃度 (Concentration) (%) |
|------|--|-----------|------------------------------|
| 178. | 碳酸鎘 / Cadmium carbonate*** (CAS No. : 513-78-0) | - | n. d. |
| 179. | 氫氧化鎘 / Cadmium hydroxide*** (CAS No. : 21041-95-2) | - | n. d. |
| 180. | 苯並[a]菲 / Chrysene (CAS No. : 218-01-9) | 0.05 | n. d. |
| 181. | 1,3,4-噻唑烷-2,5-二硫酮, 甲醛及4-庚基苯酚支鏈及直鏈反應物, (RP-HP) [含≥0.1% w/w 支鏈及直鏈4-庚基苯酚] / Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear] (*7) | - | n. d. |
| 182. | 鄰苯二甲酸二環己酯 / Dicyclohexyl phthalate (DCHP) (CAS No. : 84-61-7) | 0.05 | n. d. |
| 183. | 1,2,4-苯三甲酸酐 / Benzene-1,2,4- tricarboxylic acid 1,2- anhydride (trimellitic anhydride) (CAS No. : 552-30-7) | 0.05 | n. d. |
| 184. | 苯並(G,H,I)芘 / Benzo[ghi]perylene (CAS No. : 191-24-2) | 0.05 | n. d. |
| 185. | 八甲基環四矽氧烷 / Octamethylcyclotetrasiloxane (D4) (CAS No. : 556-67-2) | 0.05 | n. d. |
| 186. | 十甲基環五矽氧烷 / Decamethylcyclopentasiloxane (D5) (CAS No. : 541-02-6) | 0.05 | n. d. |
| 187. | 十二甲基環六矽氧烷 / Dodecamethylcyclohexasiloxane (D6) (CAS No. : 540-97-6) | 0.05 | n. d. |
| 188. | 氧化硼鈉 / Disodium octaborate*** (CAS No. : 12008-41-2) | - | n. d. |
| 189. | 乙二胺 / Ethylenediamine (CAS No. : 107-15-3) | 0.05 | n. d. |
| 190. | 鉛 / Lead (Pb) (CAS No. : 7439-92-1) (●) | 0.005 | 0.0160 |
| 191. | 氫化三聯苯 / Terphenyl hydrogenated (CAS No. : 61788-32-7) | 0.05 | n. d. |
| 192. | 2,2-雙(4-羥基苯基)-4-甲基戊烷 / 2,2-bis(4'-hydroxyphenyl)-4-methylpentane (CAS No. : 6807-17-6) | 0.05 | n. d. |
| 193. | 苯駢(k)螢蔥 / Benzo[k]fluoranthene (CAS No. : 207-08-9) | 0.05 | n. d. |
| 194. | 苯駢芘 / Fluoranthene (CAS No. : 206-44-0) | 0.05 | n. d. |
| 195. | 菲 / Phenanthrene (CAS No. : 85-01-8) | 0.05 | n. d. |
| 196. | 芘 / Pyrene (CAS No. : 129-00-0) | 0.05 | n. d. |
| 197. | 1,7,7-三甲基-3-(苯亞甲基)雙環[2,2,1]庚-2-酮 / 1,7,7-trimethyl-3-(phenylmethylene) bicyclo[2.2.1]heptan-2-one (3-benzylidene camphor) (CAS No. : 15087-24-8) | 0.05 | n. d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

試驗報告

Test Report

號碼(No.): KA/2018/61617E-01 日期(Date): 2019/02/26 頁數(Page): 12 of 17

天二科技股份有限公司

EVER OHMS TECHNOLOGY CO., LTD.

高雄市前鎮區高雄加工出口區南四路3號

NO. 3, SOUTH 4TH ROAD, K. E. P. Z. KAOHSIUNG CITY, 80681 TAIWAN R. O. C.

Remark :

1. 高關注物質(SVHC)候選清單 / Candidate List of SVHC (2019/01/15)
<http://echa.europa.eu/web/guest/candidate-list-table>
2. 根據Regulation (EC) No 1907/2006 中第7條款第2項之規定，如果物質合乎第57條款之標準以及可依據第59(1)條之規定鑑別，且同時符合下列兩項狀況，任何成品之製造人和進口人應向歐洲化學總署(ECHA)通報：
 - (a) 成品中所含物質每年超過1公噸。
 - (b) 依重量百分比計算，物質濃度超過0.1%。In accordance with Regulation (EC) No 1907/2006, any producer or importer of articles shall notify ECHA, in accordance with paragraph 2 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation, if (a) the substance is present in those articles in quantities totaling over one tonne per producer or importer per year; and (b) the substance is present in those articles above a concentration of 0.1% weight by weight (w/w).
3. Regulation (EC) No 1907/2006中第 33 條要求成品供應商，其成品所含物質符合第57條款的標準並依照第59(1)條款確定其濃度大於0.1wt%，應提供成品接受者充份可取得資訊，以確保成品的安全使用(至少包括物質的名稱)。
Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance.
4. 如果樣品中高關注物質的濃度超過0.1% (w/w)和/或歐盟(EC)No. 1272/2008 CLP法規及其修訂中設定的特殊濃度限值，建議客戶根據歐盟REACH法規No. 1907/2006對有關高關注物質準備安全資料表(SDS)以符合供應鏈通信的義務，如：
 - (I) 根據(EC)No. 1272/2008 CLP法規被列為有害物質。
 - (II) 根據(EC)No. 1272/2008 CLP法規被列為有害混合物，而當中物質的濃度大於或等於(EC)No. 1272/2008 CLP法規列出的濃度限值；或
 - (III) 根據(EC)No. 1272/2008 CLP法規並未列為有害混合物，但包含：
 - (a) 對人類健康或環境有害的物質，而在固體或液體混合物(即非氣體混合物)中其濃度 $\geq 1\%$ (w/w)或在氣體混合物中占體積 $\geq 0.2\%$ ，或
 - (b) PBT或vPvB物質，在固體或液體混合物(即非氣體混合物)中個別濃度 $\geq 0.1\%$ (w/w)，或
 - (c) 授權審議的高關注物質候選清單上的物質(除上述以外的原因)在個別非氣體混合物中的濃度 $\geq 0.1\%$ (w/w)，或
 - (d) 設有歐洲範圍內工作場所接觸限值的物質。

試驗報告

Test Report

號碼(No.): KA/2018/61617E-01 日期(Date): 2019/02/26 頁數(Page): 13 of 17

天二科技股份有限公司

EVER OHMS TECHNOLOGY CO., LTD.

高雄市前鎮區高雄加工出口區南四路3號

NO. 3, SOUTH 4TH ROAD, K. E. P. Z. KAOHSIUNG CITY, 80681 TAIWAN R. O. C.

If a SVHC is found over 0.1% (w/w) and/or the specific concentration limit which is set in Regulation (EC) No 1272/2008 and its amendments, client is suggested to prepare a Safety Data Sheet (SDS) against the SVHC to comply with the supply chain communication obligation under Regulation (EC) No 1907/2006, in which:

- (I) a substance that is classified as hazardous under the CLP Regulation (EC) No 1272/2008.
- (II) mixture that is classified as hazardous under the CLP Regulation (EC) No 1272/2008, when it contains a substance with concentration equal to, or greater than the classification limit as set in Regulation (EC) No. 1272/2008; or
- (III) a mixture is not classified as hazardous under the CLP Regulation (EC) No 1272/2008, but contains either:
 - (a) a substance posing human health or environmental hazards in an individual concentration of $\geq 1\%$ by weight for mixtures that are solid or liquids (i.e., non-gaseous mixtures) or $\geq 0.2\%$ by volume for gaseous mixtures; or
 - (b) a substance that is PBT, or vPvB in an individual concentration of $\geq 0.1\%$ by weight for mixtures that are solid or liquids (i.e., non-gaseous mixtures); or
 - (c) a substance on the SVHC candidate list (for reasons other than those listed above), in an individual concentration of $\geq 0.1\%$ by weight for non-gaseous mixtures; or
 - (d) a substance for which there are Europe-wide workplace exposure limits

5. 倘若SVHC超過限值，建議客戶確認含有該SVHC的零件，並要求實驗室進一步的定量分析而取得SVHC的確切濃度。

If a SVHC is found over the reporting limit, client is suggested to identify the component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory.

備註(Note):

1. mg/kg = ppm ; 0.1wt% = 1000ppm
2. RL = Reporting Limit / 報告極限值
3. n.d. = not detected = below Reporting Limit / 未檢出
4. "-" = Not Regulated / 無規格值
5. (*): 重鉻酸鈉二水合物(CAS No.: 7789-12-0)含量 = 重鉻酸鈉含量 \times 1.1374
(conc. of Sodium dichromate dihydrate = conc. of sodium dichromate \times 1.1374)
6. (**): 上述混合物的濃度是經由所獲得的成分比例介於被選擇標靶物及混合物所推估出來。 / The concentrations of above-mentioned mixtures are evaluated per the gained composition rate between the selected marks and the mixtures.
7. F 參數換算表/F Parameter Conversion Table: http://twap.sgs.com/sgsrsts/chn/download-REACH_tw.asp
8. 分類/Classification: Please refer to http://twap.sgs.com/sgsrsts/chn/download-REACH_tw.asp
9. (*1): 鉻酸與重鉻酸的寡聚體: 因為其寡聚體是由未知數的鉻酸或與重鉻酸所組成，而導致沒有固定分子量，因此以單體鉻酸或重鉻酸較為重要並應被考慮。 / Oligomers of chromic acid and dichromic acid: since the oligomers are made of the unknown amount of chromic acid or dichromic acid that results in no fixed molecular weight, therefore the monomer of chromic acid or dichromic acid is relevant and considered.
10. (*2): 水合硼酸鈉: 依照歐洲化學總署解釋以無水四硼酸二鈉數據作為代表(歐洲化學總署回信編號 Ref no.: INC 00000032519) / Tetraboron disodium heptaoxide, hydrate: Only anhydrous form of disodium tetraborate is relevant and considered according to ECHA explanation (Ref no.: INC 00000032519).

試驗報告

Test Report

號碼(No.): KA/2018/61617E-01 日期(Date): 2019/02/26 頁數(Page): 14 of 17

天二科技股份有限公司
 EVER OHMS TECHNOLOGY CO., LTD.
 高雄市前鎮區高雄加工出口區南四路3號
 NO. 3, SOUTH 4TH ROAD, K. E. P. Z. KAOHSIUNG CITY, 80681 TAIWAN R. O. C.

11. ***: 該物質是由單辛基錫、二辛基錫、三丁基錫、二丁基錫、全氟辛酸或各別元素 (例如: 砷、鉛、六價鉻、硼、鈷、鋇、鎘)之測試結果計算得知。 / The substance was calculated by the test results of MonoctylTin, Dioctyl Tin, Tributyl Tin, Dibutyl Tin, PFOA or element (Ex. Arsenic, Lead, Cr(VI), Boron, Cobalt, Barium, Cadmium respectively).

測試結果如下(The test result is given as):

| 物質名稱 (Substance Name) | RL (%) | 濃度 (Concentration) (%) |
|----------------------------------|-----------|------------------------------|
| 三丁基錫 / Tributyl Tin (TBT) | 0.05 | n. d. |
| 砷 / Arsenic (As) (※2) | 0.005 | n. d. |
| 六價鉻 / Hexavalent Chromium Cr(VI) | 0.005 | n. d. |
| 硼 / Boron (B) (※2) | 0.005 | n. d. |
| 鈷 / Cobalt (Co) | 0.005 | n. d. |
| 二丁基錫 / Dibutyl Tin (DBT) | 0.05 | n. d. |
| 鋇 / Barium (Ba) | 0.005 | n. d. |
| 二辛基錫 / Dioctyl Tin (DOT) | 0.0231 | n. d. |
| 單辛基錫 / MonoctylTin (MOT) | 0.0140 | n. d. |

12. (※1): 此砷鉛化合物之濃度是取砷及鉛兩者各別換算出砷鉛化合物濃度，並取其最小值做為最後出報告之依據。
 (Regarding the compound containing arsenic and lead, lead and arsenic are tested and respectively used for the calculation of the independent concentration of the compound containing arsenic and lead. The minimum value of the two independently calculated concentrations is used as the final concentration for the report.)
13. (※2): 被萃取出的溶出硼/砷是以感應耦合電漿原子發射光譜儀檢測得之。 / The extracted soluble Boron / Arsenic are detected by ICP-AES.
14. (※3): 由於TGIC本身含有β-TGIC，依照ECHA 技術文件 β-TGIC與 TGIC 約為 1:10 比例，因此β-TGIC將以1/10 的TGIC計算濃度。
 / TGIC is a mixture and also contains β-TGIC. According to the ECHA's technical dossier the ratio of β-TGIC to TGIC is around 1 to 10. Therefore β-TGIC is issued based on the above-mentioned ratio.
15. (※4): 只有在矽與鉛定性結果為陽性時，再以鋇之濃度換算之。 / Only if both qualitative results of lead and silicon are positive, the test result of the compound will be calculated based on the concentration of barium.
16. (※5): 此化合物之濃度是取六價鉻及鉛兩者各別換算出化合物濃度，並取其最小值做為最後出報告之依據。
 (Regarding the compound containing Cr(VI) and lead, lead and Cr(VI) are tested and respectively used for the calculation of the independent concentration of the compound containing Cr(VI) and lead. The minimum value of the two independently calculated concentrations is used as the final concentration for the report.)

試驗報告

Test Report

號碼(No.): KA/2018/61617E-01 日期(Date): 2019/02/26 頁數(Page): 15 of 17

天二科技股份有限公司

EVER OHMS TECHNOLOGY CO., LTD.

高雄市前鎮區高雄加工出口區南四路3號

NO. 3, SOUTH 4TH ROAD, K. E. P. Z. KAOHSIUNG CITY, 80681 TAIWAN R. O. C.

17. (※7): RP-HP無法直接測得且無法自特定元素計算含量，RP-HP之所以被定義於SVHC是因為4-HPb1，因此分析4-HPb1取代RP-HP。 / RP-HP can't be identified directly and test result can't be calculated based on specific element(s) or compound. RP-HP is identified as SVHC because of 4-HPb1, therefore 4-HPb1 is analysed instead of RP-HP.
18. (●)：因為鉛有一很廣泛應用，不太可能判定是否檢驗出的鉛是來自鉛離子，鉛元素或鉛化合物，因此用檢驗出的總鉛來代表鉛。 / Since lead has a wide application, it is unlikely to determine if the detected lead comes from the lead ion, lead element or/ and lead compounds. Therefore the detected total lead is used on behalf of lead.
19. N/A* = 無法直接分析，此檢測項目因無法直接測得，因此依據歐洲化學總署建議以SVHC項目中的特定元素分析之。樣品被檢測出SVHC中的特定元素，依據進一步測試或客戶所提供的資訊，被檢測出的元素無法確定來自於SVHC，因此以N/A*表示。 / N/A* = Not Applicable to direct analysis. The item can't directly be identified. Therefore the specific element(s) of SVHC was analysed according to the recommendation from the ECHA. The submitted sample was found to contain detectable amount of specific element(s) of SVHC. Upon further test verification or information provided from the client, the source of the detectable specific element(s) can't be identified from SVHC. Therefore the test result is expressed as N/A*.

試驗報告

Test Report

號碼(No.): KA/2018/61617E-01 日期(Date): 2019/02/26 頁數(Page): 16 of 17

天二科技股份有限公司


EVER OHMS TECHNOLOGY CO., LTD.

高雄市前鎮區高雄加工出口區南四路3號

NO. 3, SOUTH 4TH ROAD, K. E. P. Z. KAOHSIUNG CITY, 80681 TAIWAN R. O. C.

SVHC 分析流程圖 / Analytical flow chart of SVHC

- 測試人員：涂雅芬, 陳恩臻 / Technician: Yaling Tu, Rita Chen
- 測試負責人：張啟興 / Supervisor: Troy Chang



試驗報告


Test Report

號碼(No.): KA/2018/61617E-01 日期(Date): 2019/02/26 頁數(Page): 17 of 17

天二科技股份有限公司
EVER OHMS TECHNOLOGY CO., LTD.
高雄市前鎮區高雄加工出口區南四路3號
NO. 3, SOUTH 4TH ROAD, K. E. P. Z. KAOHSIUNG CITY, 80681 TAIWAN R. O. C.

* 照片中如有箭頭標示，則表示為實際檢測之樣品/部位。 *
(The tested sample / part is marked by an arrow if it's shown on the photo.)

KA/2018/61617



** 報告結尾(End of Report) **